

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



# LINING-OUT STOCK — EVERGREENS

FALL, 1952 — SPRING, 1953

LIBRARY  
RECEIVED  
★ MAR 3 - 1953 ★  
U. S. Department of Agriculture

	Each 100	Each 1000
<i>Abies lasiocarpa</i> , 3 to 6 in., S.....O.....	\$0.05	\$0.04½
<i>J. com. hibernica</i> , 18 to 24 in.....XX.....	.45	
<i>J. com. suecica</i> , 18 to 24 in.....XX.....	.45	
<i>J. glauca hetzi</i> , 6 to 8 in.....X.....	.35	.32½
<i>J. hor. glauca</i> , 6 to 8 in.....X.....	.35	
<i>J. hor. plumosa</i> , 6 to 8 in.....X.....	.35	
<i>J. virginiana</i> , 4 to 6 in., S.....O.....	.06	.05
<i>Picea abies</i> , 4 to 6 in., S.....O.....	.04	.03½
<i>Picea abies</i> , 6 to 10 in.....X.....	.12	.10
<i>Picea glauca</i> , 4 to 6 in., S.....O.....	.04	.03½
<i>Picea glauca</i> , 6 to 10 in.....X.....	.11	.10
<i>Picea pungens</i> , 6 to 10 in.....X.....	.14	.12
<i>Pinus mugho</i> , 4 to 8 in.....X.....	.20	
<i>Pinus nigra</i> , 4 to 6 in., S.....O.....	.04	.03
<i>Pinus nigra</i> , 6 to 10 in.....X.....	.15	
<i>Pinus sylvestris</i> , 6 to 10 in., S.....O.....	.05	.04
<i>Pinus sylvestris</i> , 8 to 12 in.....X.....	.10	.09
<i>Pinus thumbergi</i> , 3 to 6 in., S.....O.....	.05	.04
<i>Pseudotsuga tax.</i> , 3 to 6 in., S.....O.....	.04	.03½

	Each 100	Each 1000
<i>Thuja occ.</i> , 3 to 6 in., S.....O.....	\$0.05	\$0.04
<i>Thuja occ.</i> , 6 to 10 in.....X.....	.25	
<i>Thuja occ. columbia</i> , 12 to 15 in.....XX.....	.60	.50
<i>Thuja occ. columbia</i> , 15 to 18 in.....XX.....	.70	.60
<i>Thuja occ. columbia</i> , 18 to 24 in.....XX.....	.75	.70
<i>Thuja occ. doug. pyr.</i> , 15 to 18 in.....XX.....	.70	.60
<i>Thuja occ. doug. pyr.</i> , 18 to 24 in.....XX.....	.75	.70
<i>Thuja occ. nigra</i> , 6 to 8 in.....X.....	.30	.25
<i>Thuja occ. nigra</i> , 12 to 15 in.....XX.....	.60	.50
<i>Thuja occ. nigra</i> , 15 to 18 in.....XX.....	.70	.60
<i>Thuja occ. pumila</i> , 6 to 8 in.....XX.....	.35	.30
<i>Thuja occ. pyramidalis</i> , (from seed) 3 to 6 in.....O.....	.05	.04
<i>Thuja occ. pyramidalis</i> , (from cuts) 12 to 15 in.....XX.....	.50	.45
<i>Thuja occ. pyramidalis</i> , (from cuts) 15 to 18 in.....XX.....	.60	.55
<i>Thuja occ. pyramidalis</i> , (from cuts) 18 to 24 in.....XX.....	.70	.65
<i>Thuja occ. recurva</i> , 8 to 10 in.....XX.....	.40	.35
<i>Thuja occ. recurva</i> , 10 to 12 in.....XX.....	.50	.45
<i>Thuja occ. wareana</i> , 6 to 8 in.....X.....	.30	.25
<i>Thuja occ. wareana</i> , 8 to 10 in.....XX.....	.45	.40
<i>Thuja occ. wareana</i> , 10 to 12 in.....XX.....	.50	.45
<i>Thuja occ. woodwardi</i> , 6 to 8 in.....X.....	.30	.25
<i>Thuja occ. woodwardi</i> , 8 to 10 in.....XX.....	.45	.40
<i>Thuja occ. woodwardi</i> , 10 to 12 in.....XX.....	.50	.45
<i>Thuja orientalis</i> , 6 to 10 in., S.....O.....	.04	.03½
<i>Tsuga canadensis</i> , 8 to 10 in.....X.....	.30	.25
<i>Tsuga canadensis</i> , 10 to 12 in.....XX.....	.45	.40
<i>Tsuga canadensis</i> , 12 to 15 in.....XX.....	.60	.50
<i>Tsuga canadensis</i> , 15 to 18 in.....XX.....	.75	.65

# LINING-OUT STOCK — BROADLEAVED

<i>Euonymus fort. silveredge</i> , 6 to 8 in.....XX.....	.35	.30
<i>Euonymus fort. silveredge</i> , 8 to 10 in.....XX.....	.40	.35
<i>Euonymus fort. coloratus</i> , 6 to 10 in.....X.....	.25	.20
<i>Euonymus fort. coloratus</i> , 10 to 12 in.....XX.....	.35	.30
<i>Euonymus fort. common</i> , 8 to 12 in.....XX.....	.35	.30

<i>Euonymus fort. bigleaf</i> , 6 to 8 in.....X.....	.30	.25
<i>Euonymus fort. bigleaf</i> , 8 to 12 in.....XX.....	.40	.35
<i>Mahonia aquifolia</i> , 8 to 10 in.....X.....	.25	.22½
<i>Pyracantha coc. lalandi</i> , 8 to 12 in.....X.....	.15	

Above F. O. B. shipping point Newfane, N. Y., packing additional. Usual trade terms to established accounts.

THE STEDMAN NURSERIES, NEWFANE, N. Y.

